Drive system

Battery	Performance battery Plus with 93.4 kWh	
Electric motor, front axle	Permanently excited synchronous motor	
Electric motor, rear axle	Permanently excited synchronous motor	
Transmission, front axle	Single-speed transmission	
Transmission, rear axle	Two-speed transmission	
Drive system	Electric all-wheel drive with variable torque distribution and Porsche Traction Management (PTM)	
Power output	up to 460 kW (625 PS)	
Overboost power for Launch Control	up to 500 kW (680 PS)	
Maximum torque for Launch Control	850 Nm	

Chassis

Suspension and damping	Adaptive air suspension with three-chamber air springs including Porsche Active Suspension Management (PASM) and Smart Lift
Front axle	Aluminium double wishbone front axle, independent suspension
Rear axle	Aluminium multi-link rear axle, independent suspension
Steering	Power steering; optionally available with rear-axle steering with power steering Plus
Steering ratio	15.5:1 (centre position) to 9.3:1; with RAS 14.2:1 (centre position) to 9.3:1
Turning circle diameter	12.0 m; with RAS 11.4 m
Vehicle stability system	Porsche Stability Management (PSM) with ABS and extended brake functions

All information refers to the EU model. The technical data may vary from country to country.

Brakes

Brake system	Six-piston aluminium monobloc fixed-calliper brakes at the front, four-piston aluminium monobloc fixed-calliper brakes at the rear; electric parking brake; multi-collision brake; auto-hold function
Brake discs, front axle	Porsche Surface Coated Brake (PSCB); with tungsten carbide-coated cast-iron brake discs, internally vented
Diameter	410 mm
Thickness	38 mm
Brake discs, rear axle	Porsche Surface Coated Brake (PSCB); with tungsten carbide-coated cast-iron brake discs, internally vented
Diameter	365 mm
Thickness	28 mm

Wheels and tyres

Wheels with tyres, front	9.0 J × 20 ET 54 with tyres 245/45 R 20 103Y XL
Wheels with tyres, rear	11.0 J × 20 ET 60 with tyres 285/40 R 20 108Y XL

Dimensions

Length	4,974 mm
Width (with exterior mirrors)	1,967 mm (2,144 mm)
Height	1,412 mm
Wheelbase	2,904 mm
Track width, front	1,710 mm
Track width, rear	1,672 mm

Luggage compartment volume and weights

Luggage compartment volume, rear	405 – 1,171 l
Luggage compartment volume, front	841
Kerb weight according to DIN	2,320 kg
Permissible gross weight	2,880 kg
Permissible roof load (with Porsche roof transport system)	75 kg

Performance

Top speed	250 km/h
Acceleration with Launch Control	
0 – 60 mph	3.1 s
0 – 100 km/h	3.3 s
0 – 160 km/h	7.0 s
0 – 200 km/h	10.7 s
0-400 m (1/4 mile)	11.1 s

Range, consumption, emissions

Range (min. – max. WLTP)	395 – 452 km
Power consumption (max. – min. WLTP)	25.9 – 22.6 kWh/100 km
Power consumption (NEDC combined)	28.7 kWh/100 km
CO ₂ emissions	0 g/km
Efficiency class Germany	A+

Charging

Onlarging	
Maximum DC charging capacity	270 kW
Charging time for alternating current (AC) at 11 kW from 0 to up to 100%	9.0 hours
Charging time for direct current (DC) at 50 kW for up to 100 km (WLTP)	28:30 min
Charging time for direct current (DC) with max. charging power for up to 100 km (WLTP) under optimum conditions*	5:15 min
Charging time for direct current (DC) at 50 kW from 5 to up to 80%	93:00 min
Charging time for direct current (DC) with max. charging power from 5 to up to 80% under optimum conditions*	22:30 min

 $^{^{\}star}$ CCS high-power-charging station with >270 kW, >850 V, battery temperature 30 to 35°C and initial SoC 5%

Aerodynamics

Drag coefficient c _d (in Range mode in combination with low level and closed air intake flaps)	0.26
Frontal area A	2.37 m²
c _d x A	0.616 m²